



# THERMALLY PROCESSED FOODS: possible health implications

COST-927 Action



**PUBLICATIONS OF MEMBERS RELATED TO COST-927 TOPICS**

**1998 - 2005**

**List of research labs included**

**updated 14/JUL/2005**



## **Austria**

**Michael Murkovic**

Graz University of Technology  
Department of Food Chemistry and Technology  
Petersgasse 12/2, 8010 Graz, Austria



## **Czech Republic**

**Marta Kalousova**

Institute of Medical Biochemistry  
Faculty of Medicine, Charles University  
Katerinska 32, 121 08 Prague 2, Czech Republic



## **France**

**Thomas Haertlé**

Groupe Protéines - LEIMA-INRA, BP 71627  
Institut National de la Recherche Agronomique  
44316 Nantes Cedex 03, France



## **Germany**

**Lothar W. Kroh**

Univ.-Professor Dr. Lothar W. Kroh  
Institute of Food Chemistry  
Technical University Berlin, Germany

**Monika Pischetsrieder**

Institut für Pharmazie und Lebensmittelchemie  
Abteilung Lebensmittelchemie, Universität Erlangen-Nürnberg  
Schuhstr. 19, 91052 Erlangen-Germany



## **Italy**

**Monica Anese**

Dipartimento di Scienze degli Alimenti  
Università di degli Studi di Udine  
Via Marangoni 97, 33100 Udine, Italy

**Annunziata Lapolla**

Department of Medical and Surgical Sciences  
Padova University  
Via Giustiniani 2, 35100 - Padova, Italy



## **Israel**

**Eyal Shimoni**

Laboratory of Functional Foods, Nutraceuticals, and Food  
Nanoscience. Dept. of Biotechnology and Food Engineering  
Technion - Israel Institute of Technology, Haifa 32000, Israel



## Spain

### **Rosaura Farre**

Dpto. Medicina Preventiva y Salud Pública, Bromatología,  
Toxicología y Medicina Legal  
Facultad de Farmacia  
Avda. Vicent Andrés Estelles s/n, 46100- Burjassot, Spain

### **Francisco J. Morales**

Instituto del Frio  
Consejo Superior de Investigaciones Científicas  
Jose Antonio Novais 10, E-28040 Madrid, Spain

## Poland

### **Beata Janoszka and Urszula Blaszczyk**

Medical University of Silesia  
Dept. of Chemistry  
Jordana 19, 41-808 Zabrze, Poland

## LIST OF PUBLICATIONS

- Knasmüller, S. M. Murkovic, W. Pfau and G. Sontag. Analytical and Biological Aspects of Heterocyclic Aromatic Amines in Foods. *J. Chromatogr. B*, 802 ,1 (2004)
- Murkovic, M., W. Pfannhauser. Heterocyclic Aromatic Amines. *Zeitschrift für Lebensmitteluntersuchung und –Forschung*, 207, 6 (1998)
- Messner C. Murkovic M. Formation of heterocyclic amines in a new model system. *J. Chromatogr. B* 802, 19-26. 2004
- Murkovic M. Chemistry, formation and occurrence of genotoxic heterocyclic aromatic amines in fried products. *Eur. J. Lipid Sci. Technol* 106, 777-785. 2004
- Knasmüller S., Murkovic M., Pfau W., Sontag G. Heterocyclic aromatic amines – still a challenge for scientists. *J. Chromatogr. B*
- Santos F.J., Barcelo E., Toribio F., Puignou L., Galceran M.T., Persson E., Skog K., Messner C., Murkovic M., Nabinger U., Ristic, A. Analysis of heterocyclic amines in food products: Interlaboratory studies. *J. Chromatogr.* 802, 69-78. 2004
- Murkovic M. Formation of heterocyclic amines in model systems. *J. Chromatogr. B* 802, 3-10. 2004
- Zöchling S., Murkovic M., Pfannhauser W. Effects of industrially produced flavours with pro- and antioxidative properties on the formation of the heterocyclic amine PhIP in a model system. *J. Biochem. Biophys. Methods* 53, 37-44. 2002
- Zöchling S., Murkovic M. Formation of the heterocyclic aromatic amine PhIP: identification of precursors and intermediates. *Food Chemistry* 79, 125-134. 2002
- Pfau W., Knasmüller S., Glatt H.R., Frandsen H., Alexander J., Murkovic A., Sontag G., Galceran T., Edenharter R., Skog K. Heterocyclic amines: Human carcinogens in cooked food? *Nutrition, Metabolism and Cardiovascular Diseases Suppl. to* 4, (2001) 83-86
- Murkovic M. Heterocyclische aromatische Amine als mögliche Kanzerogene in unserer Nahrung. *Zeitschrift für Ernährungsökologie*. 1: 159-166. 2000.
- Zöchling S., Draxl S., Murkovic M., Pfannhauser W. The analysis of heterocyclic aromatic amines in various types of fried meat. *Czech J. Food Sci.* 18: 270-271. 2000.
- Murkovic M., Pfannhauser W. Analysis of cancerogenic heterocyclic aromatic amines in fried meat. *Fresenius J.Anal.Chem.* 366, 375-378. 2000.
- Murkovic M., Weber H. J., Geiszler S., Fröhlich K., Pfannhauser W. Formation of the food associated carcinogen 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine (PhIP) in model systems. *Food Chemistry* 65, 233-237. 1999.
- Murkovic M., Steinberger D., Pfannhauser W. Antioxidant spices reduce the formation of heterocyclic aromatic amines in fried meat. *Z.Lebensm.Unters.Forsch.A* 207, 477-480. 1998.
- Murkovic M., Friedrich M., Pfannhauser W. Heterocyclic aromatic amines in fried poultry meat. *Z.Lebensm.Unters.Forsch.A* 205, 347-350. 1997.
- Murkovic M. Acrylamide in Austrian Foods. *J. Biochem. Biophys. Meth.* 61/1-2, 161-167, 2004
- Bagdonaitė K., Murkovic M. Factors affecting the formation of acrylamide in coffee. *Czech J. Food Sci.* 22, 22-24, 2004
- Anese M., De Pilli T., Massini R., Lerici C.R. Oxidative stability of the lipid fraction in roasted coffee. *Italian J. Food Sci.* 12(4) (2000) 457-462.

- Anese M., Falcone P., Fogliano V., Nicoli M.C., Massini R. Effect of equivalent thermal treatments on the colour and the antioxidant activity of tomato purees. *J. Food Sci.* 67 (2002) 3442-3446.
- Woffenden H.M., Ames J.M., Chandra S., Anese M., Nicoli M.C. Effect of kilning on the antioxidant and pro-oxidant activities of pale malts. *J. Agric. Food Chem.* 50 (2002) 4925-4933
- Anese, M., Calligaris, S., Nicoli, M.C., Massini, R. Influence of total solids concentration and temperature on the changes in redox potential of tomato pastes. *Int. J. Food Sci. Technol.* 38 (2003) 55-61
- Bicanic D., Anese M., Luterotti S., Dadarlat D., Neamtu C., Lubbers M. Rapid and direct detection of lycopene content in tomato puree concentrates. *Rev. Sci. Instr.* 74 (2003.) 687-689
- Anese M., Nicoli M.C. Antioxidant properties of ready-to-drink coffee brews. *J. Agric. Food Chem.* 51(2003) 942-946
- Nicoli M.C., Toniolo R., Anese M. Relationship between redox potential and chain-breaking activity of model systems and foods. *Food Chem.* 88 (2004) 79-83
- Calligaris S., Manzocco L., Anese M., Nicoli M.C. Effect of heat-treatment on the antioxidant and pro-oxidant activity of milk. *Int. Dairy J.* 14 (2004) 421-427
- Baltes, W., Kroh, L. W. Schnellmethoden zur Bestimmung von Lebensmitteln und ihren Rohstoffen. Behrs-Verlag (2004) 3. Auflage, ISBN 3-89947-120-2, <http://www.behrs.de>
- Rösch, D., Krumbein A., Kroh L. W. Antioxidant Galliccatechins, Dimeric and Trimeric Proanthocyanidins from Sea Buckthorn (*Hippophaë rhamnoides*) Pomace. *European J. Food Sci. Technol* 219 (2004) 605-613
- Rösch, D., Mügge C., Fogliano V., Kroh L. W. Antioxidant Oligomeric Proanthocyanidins from Sea Buckthorn (*Hippophaë rhamnoides*) Pomace. *J. Agric. Food Chem.* 52 (2004) 6712-6718
- Roesch, D., Krumbein A., Mügge C., Kroh L. W. Structural Investigations of Flavonol Glycosides from Sea Buckthorn Pomace by NMR Spectroscopy and HPLC-ESI-MS<sup>n</sup>. *J. Agric. Food Chem.* 52 (2004) 4039-4046
- Ramadan, M., Kroh L. W., Mörsel J.-T. Radical Scavenging activity of black cumin, coriander and niger crude seed oils and oil fractions. *J. Agric. Food Chem.* 51 (2003) 6961-6969
- Laube, I., Spiegelberg A., Butschke A., Zagon J., Schauzu M., Kroh L. W., Broll H. Methods for the detection of beef and pork in foods using real-time polymerase chain reaction. *J. Food Sci. Technol.* 38 (2003) 111-118
- Rösch, D., Bergmann M., Knorr D., Kroh L. W. Structure-Antioxidant-Efficacy Relationships of Phenolic compounds and their Contribution to the Antioxidative Activity of sea buckthorn juice. *J. Agric. Food Chem.* 51 (2003) 4233-4239
- Hollnagel A., Kroh L. W. 3-Deoxypentosulose: an  $\alpha$ -dicarbonyl compound predominating in nonenzymatic browning of oligosaccharides in aqueous solution. *J. Agric. Food Chem.* 50 (2002) 1659-1664
- Cämmerer, B., Jalyschko W., Kroh L. W. Detection of intact carbohydrate structures as part of the melanoidin skeleton. *J. Agric. Food Chem.* 50 (2002) 2083-2087
- Kroh, L. W., Schulz A. Maillard reaction of food proteins – chemical, nutritional and functional aspects: News on the Maillard reaction of oligomeric carbohydrates: a survey. *Nahrung/Food* 45 (2001) 160-163
- Hollnagel A., Kroh L. W. Degradation of oligosaccharides in non-enzymatic browning by formation of  $\alpha$ -dicarbonyl compounds via "peeling off" mechanism. *J. Agric Food Chem.* 48 (2000) 6219-6226
- Janoszka B., Błaszczuk U., Warzecha L., Stróżyk M., Damasiewicz-Bodzek A., Bodzek D. Clean-up procedures for the analysis of heterocyclic aromatic amines (aminoazaarenes) from heat treated meat samples. *J. Chromatogr. A* 938 (2001) 155-166

- Warzecha L., Janoszka B., Błaszczyk U., Stróżyk M., Bodzek D, Dobosz C. Determination of heterocyclic aromatic amines (HAs) content in samples of household-prepared meat dishes. *J. Chromatogr. B* 802 (2004) 95-106
- Warzecha L., Stróżyk M., Janoszka B., Błaszczyk U., Bodzek D. The analysis of heterocyclic aromatic amines using high performance liquid chromatography. *Chem. Anal. (Warsaw)* 47 (2002) 539-557
- Janoszka B., Błaszczyk U., Warzecha L., Luks-Betlej K., Stróżyk M. The analysis of aminoazaarenes as their derivatives with GC-MS method in the heat-processed meat samples. *Chem. Anal (Warsaw)* 48(4) (2003) 701-721,
- Janoszka B., Warzecha L., Błaszczyk U., Bodzek D. Organic compounds formed in thermally treated high-protein food, Part I: Polycyclic aromatic hydrocarbons. *Acta Chromatogr.* 14 (2004) 115-128
- Janoszka B., Warzecha L., Błaszczyk U., Bodzek D. Organic compounds formed in thermally treated high-protein food, Part I: Azaarenes. *Acta Chromatogr.* 14 (2004) 129-141
- Janoszka B., Tyrpień K., Wielkoszyński T., Dobosz C., Bodzek D, Bodzek P., Olejek A. Determination of selected oxysterols in human blood plasma by means of thin layer chromatography with densitometry. *Chem. Anal (Warsaw)* 46 (2001) 11-21
- Janoszka B., Warzecha L., Dobosz C., Bodzek D. Determination of 7-ketocholesterol and 7-hydroxycholesterol in meat samples by TLC with densitometric detection. *J. Planar Chromatogr.* 16 (2003) 186-191
- Bonnely S., Peyrat-Maillard MN., Rondini L., Masy D., Berset C. Antioxidant activity of malt rootlets extracts. *J. Agric. Food Chem.* 48 (2000) 2785-2792.
- Boutboul A., Giampaoli P., Feingenbaum A., Ducruet V. Use of inverse gas chromatography with humidity control of the carrier gas to characterize aroma-starch interactions. *Food Chem.* 71 (2000) 387-392.
- Boutboul A., Lenfant F., Giampaoli P., Feigenbaum A., Ducruet V. Use of inverse gas chromatography to determine thermodynamic parameters of aroma-starch interactions. *J. Chrom. A* 969 (2002) 9-16.
- Cuvelier M-E, Lagunes-Galvez I, Berset C. Do Antioxidants improve the oxidative stability of o/w emulsions?. *J. Amer. Oil Chem. Soc.* 80 (2003) 1101-1105.
- Delarue J., Giampaoli P. Study of interaction phenomena between aroma compounds and carbohydrate matrices by inverse gas chromatography. *J. Agric. Food Chem.* 48 (2000) 2372-2375.
- Dupas C., Marsset-Baglieri A., Peyrat-Maillard MN., Berset C. Revue: Les interactions protéine/polyphénol et leur influence sur la biodisponibilité des polyphénols. *NAFAS (Nutrition, Aliments Fonctionnels, Aliments Santé)* 9 (2002) 15-30.
- Hanaoka K., Siefferman JM., Giampaoli P. Effects of the sniffing port air make-up in gas chromatography - olfactometry. *J. Agric. Food Chem.* 48 (2000) 2368-2371.
- Hanaoka K., Vallet N., Giampaoli P., Heyd B., Mac Leod P. Possible influence of breathing on detection frequency and intensity rating in gas chromatography-olfactometry. *Food Chem.* 72 (2001) 97-103.
- Jouquand C, Ducruet V, Giampaoli P. Partition coefficients of aroma compound in polysaccharide solutions by the phase ratio variation method. *Food Chem.* 85 (2004) 467-474.
- Lagunes-Galvez I, Cuvelier M-E, Ordonaud C, Berset C. Oxidative stability of some mayonnaise formulation during storage and daylight irradiation. *J. Food Lipids* 9 (2002) 211-224.
- Peyrat-Maillard MN, Bonnely S, Rondini L, Berset C. Effect of vitamin E and vitamin C on the antioxidant activity of malt rootlets extracts. *Lebens. Wiss. Technol.* 34 (2000) 176-182.
- Peyrat-Maillard M-N, Cuvelier M-E, Berset C. Antioxidant activity of phenolic compounds in AAPH-induced oxidation : synergistic and antagonistic effects. *J. Amer. Oil Chem. Soc.* 80 (2003) 1007-1012.

- Peyrat-Maillard MN., Bonnely S., Berset C. Determination of the antioxidant activity of phenolic compounds by coulometric detection. *Talanta* 51 (2000) 709-716.
- Rega B., Guichard E. and Voilley A. Flavour release from pectin gels: Effects of texture, molecular interactions and aroma compounds diffusion. *Sci. Aliments* 22 (2002) 235-248.
- Rondini L., Dupas C., Marsset-Baglieri A., Berset C., Peyrat-Maillard MN. Revue : Biodisponibilité des composés phénoliques et de leurs métabolites. *NAFAS (Nutrition, Aliments Fonctionnels, Aliments Santé)* 1 (2003) 19-57.
- Rondini L., Peyrat-Maillard M-N., Marsset-Bagliéri A., Berset C. Sulfated ferulic acid is the main in vivo metabolite found after short-term ingestion of free ferulic acid in rats. *J. Agric. Food Chem.* 50 (2002) 3037-3041.
- Rondini L., Peyrat-Maillard MN., Marsset-Baglieri A., Fromentin G., Durand P., Tomé D., Prost M., Berset C. Bound Ferulic Acid from Bran is more Bioavailable than the Free Compound in Rat. *J. Agric. Food Chem.* 52 (2004) 4338-4343.
- Tsirounnikov K., Rezai H., Bonch-Osmolovskaya E., Nedkov P., Gousterova A., Cueff V., Godfroy A., Barbier G., Métro F., Chobert J.-M., Clayette P., Dormont D., Grosclaude J. and Haertlé T. Hydrolysis of the amyloid prion protein and non-pathogenic Meat and Bone Meal (MBM) by anaerobic thermophilic prokaryotes and *Streptomyces* subsp. *J. Agric Food Chem.* 52 (2004) 6353-6360.
- Jayat D., Gaudin J.-C., Chobert J.-M., Burova T.V., Holt C, McNae I., Sawyer L. and Haertlé T. A recombinant C121S mutant of bovine beta-lactoglobulin is more susceptible to peptic digestion and to denaturation by reducing agents and heating. *Biochemistry* 43 (2004) 6312-6321.
- Mironov, N.A., Breus, V.V., Gorbachuk, V.V., Solomonov, B.N. and Haertlé, T. Effects of hydration, lipids and temperature on the binding of the volatile aroma terpenes by beta-lactoglobulin powders. *J of Agric Food Chem.* 51 (2003) 2665 - 2673.
- Mikhailova, A., G., Rumsh, L., D., Dalgarrondo, M. Chobert, J.-M., Haertlé, T. Evolution of activities of mutated anionic trypsins in lowered temperatures. *Biokhimiya* 68 (2003) 926-33.
- Rezaei, H., Choiset, Y., Debey, P., Grosclaude, J. and Haertlé, T. Study of stability of variants of ovine prions with different susceptibilities to scrapie. *J. of Thermal Anal and Calorimetry* 71 (2003) 237 - 247.
- Chevalier F, Chobert J-M., Dalgarrondo, M., Choiset, Y., Haertlé T. Maillard glycation of  $\beta$ -lactoglobulin induces conformation changes. *Die Nahrung-Food.* 2 (2002) 58-63.
- Bertrand-Harb C., Baday A., Dalgarrondo M., Chobert J.-M. and Haertlé T. Thermal modifications of structure and co-denaturation of  $\alpha$ -lactalbumin and  $\beta$ -lactoglobulin induce changes of solubility and susceptibility to proteases *Die Nahrung-Food* 46 . (2002) 283-289.
- Cayot, P., Rossier, H., Roullier, L., Haertlé, T. and Tainturier, G. Electrochemical modifications of proteins: Disulfide bonds reduction. *Food Chemistry* 77 (2002) 309-315.
- Chevalier, F., Chobert, J.-M., and Haertlé, T. Improvement of functional properties of beta-lactoglobulin glycated through the Maillard reaction is related to the nature of sugars. *Int. Dairy Journal.* 11 (2001) 145 152.
- Chevalier, F., Chobert, J.-M., and Haertlé, T. Characterisation of the Maillard reaction products of beta-lactoglobulin glucosylated in mild conditions. *J. of Food Biochemistry* 25 (2001) 33 - 55.
- Chevalier F., Chobert J.-M., Genot C. and Haertlé T. Scavenging of free radicals, anti-microbial and cytotoxic activities of the Maillard reaction products of  $\beta$ -lactoglobulin glycated with several sugars. *J. Agric. Food Chem,* 49 (2001) 5031-5038
- Chevalier F, Chobert J-M., Mollé D., Haertlé T. Maillard glycation of beta-lactoglobulin with several sugars: Comparative study of the properties of the obtained polymers and of the substituted sites. *Le Lait,* 81 (2001) 651-666.

- Burova, T.V., Rabesona, H., Choiset, Y., Jankowski, C. K., Sawyer, L. and Haertlé, T. Why has porcine VEG protein unusually high stability and suppressed binding ability? *Biophys. Bioch. Acta* 1478 (2000)267-279
- Grinberg, V. Ya., Burova, T.V., Haertlé, T., Tolstoguzov, V. B. Interpretation of DSC data on protein denaturation complicated by kinetic and irreversible effects. *J. Biotechnol.* 79 (2000) 269-280
- Grinberg, V. Ya. and Haertlé, T. Reducer driven baric denaturation and oligomerisation of whey protein. *J. Biotechnol. (Industrial Proteins, issue)* 79 (2000) 205-209
- A.Lapolla, D. Fedele, M. Garbeglio, L. Martano, R. Tonani, R. Seraglia, D. Favretto, M.A. Fedrigo, P. Traldi. Matrix-Assisted Laser Desorption/Ionization Mass Spectrometry, enzymatic digestion, and molecular modeling in the study of nonenzymatic glycation of IgG. *J Am Soc Mass Spectrom* 11: 153-59, 2000.
- A.Lapolla, D. Fedele, P. Traldi. The role of mass spectrometry in the study of non-enzymatic protein glycation in diabetes. *Mass Spectrometry Review* ,19: 279-304, 2000.
- A.Lapolla, D. Fedele, P. Traldi. Diabetes and mass spectrometry. *Diab Metab Res Rev* , 17: 99-112, 2001.
- A.Lapolla, D. Fedele, L. Martano, C.N. Aricò, M. Garbeglio, P. Traldi, R. Seraglia, D. Favretto. Advanced glycation end products: a highly complex set of biologically relevant compounds detected by mass spectrometry. *J Mass Spectrom.*, 36:370-378, 2001.
- A.Lapolla, R.Tonani, D.Fedele, M.Garbeglio, A.Senesi, R.Seraglia, D.Favretto, P.Traldi. Non-enzymatic Glycation of IgG: an in vivo study. *Horm Metab Res*, 34: 260-264, 2002.
- A.Lapolla, D.Fedele, A.Senesi, C.N. Aricò, R.Reitano, D.Favretto, R.Seraglia, H.Astner, P.Traldi. Advanced Glycation end-products/peptides: a preliminar investigation by LC and LC/MS. *Il Farmaco*, 57: 845-852, 2002.
- A.Lapolla, R.Flamini, T.Tonus, D.Fedele, A.Senesi, R.Reitano, E.Marotta, G.Pace, R.Seraglia and P.Traldi. An effective derivatization method for quantitative determination of glyoxal and methylglyoxal in plasma samples by gas chromatography/mass spectrometry. *Rapid Commun Mass Spectrom*, vol 17: 876-878, 2003.
- E.Marotta, A.Lapolla, D.Fedele, A.Senesi, R.Reitano, M.Witt, R.Seraglia and P.Traldi. Accurate mass measurements by Fourier transform mass spectrometry in the study of advanced glycation end products/peptides. *J. Mass Spectrom*, vol 38: 196-205, 2003.
- A.Lapolla, R.Flamini, A. Dalla Vedova, A.Senesi, R.Reitano, D.Fedele, E.Basso, R.Seraglia, P.Traldi. Glyoxal and metylglyoxal levels in diabetic patients: quantitative determination by a new GC/MS method. *Clin Chem Lab Med* 2003; 41(9): 1166-1173.
- A.Mosca, R.A.Paleari, F. Ceriotti, A.Lapolla, D.Fedele for the Lecarnidipine Study Group.Biological variability of albumin excretion rate and albumin-to-creatinine ratio in hypertensive type 2 diabetic patients. *Clin Chem Lab Med* 2003; 41(9):1229-33.
- M.Sacco, F.Pellegrini, M.C. Roncaglioni, F.Avanzini, G.Tognani, A.Nicolucci, A.Lapolla and PPP Collaborative Group. Primary Prevention of cardiovascular events with low-dose aspirin and vitamin E in type 2.diabetic patients. *Diabetes Care*, 2003, 26 (12), 3264-3272.
- A.Lapolla, D.Fedele, R.Reitano, CN.Aricò, R.Seraglia, P.Traldi, E.Marotta, R.Tonani. Enzymatic digestion and mass spectrometry in the study of advanced glycation end products/peptides. *J Am Soc Mass Spectrom* 2004, 15, 496-509.
- Tessitore N, Lapolla A, Aricò CN, Poli A, Gammaro L, Bassi A, Bedogna V, Corgnati A, Fedele D, Lupo A. Effect of protein leaking BK-F PMMA-based hemodialysis on plasma pentosidine levels. *J Nephrol* 2004, 17, 1-8.
- Lapolla A, Tubaro M, Reitano R, Aricò CN, Ragazzi E, Seraglia R, Vogliardi S, Traldi P, Fedele D. The complexity of non-enzymatic glycation product sets of human globins. *Diabetologia* 2004; 47: 1712-1715.

- Kalousová M., Zima T., Tesař V., Sulková S., Škrha J., Deppisch R., Beck W. Glycooxidation in hemodialyzed patients with diabetes mellitus. *Cardioneurology* 7 (2002) 297-300
- Kalousová M., Zima T., Tesař V., Lachmanová J. Advanced glycation end products and advanced oxidation protein products in hemodialyzed patients. *Blood Purif.* 20 (2002) 531-536
- Kalousová M., Škrha J., Zima T. Advanced glycation end products and advanced oxidation protein products in patients with diabetes mellitus. *Physiol. Res.* 51, 6 (2002) 597-604
- Kalousová M., Sulková S., Zima T., Deppisch R., Beck W., Bednářová V., Fořtová M., Tesař V. Advanced glycation end products in hemodialyzed patients with diabetes mellitus correlate with leptin and leptin/body fat ratio. *Renal Failure* 25, 2 (2002) 277-286
- Kalousová M., Sulková S., Fialová L., Soukupová J., Malbohan I.M., Špaček P., Braun M., Mikulíková L., Fořtová M., Hořejší M., Tesař V., Zima T. Glycooxidation and inflammation in chronic hemodialysis patients. *Nephrol. Dial. Transplant* 18 (2003) 2577-2581
- Kalousová M., Zima T., Tesař V., Sulková S., Fialová L. Relationship between advanced glycooxidation end products, inflammatory markers/acute phase reactants and some autoantibodies in chronic hemodialysis patients. *Kidney Int. Suppl.* 64, Suppl 84 (2003) 62-64
- Kalousová M., Fialová L., Škrha J., Zima T., Soukupová J., Malbohan I.M., Štípek S. Oxidative stress, inflammation and autoimmune reaction in type 1 and type 2 diabetes mellitus. *Prague Medical Report* 105, 1 (2004) 21-28
- Kalousová M., Zima T., Popov P., Špaček P., Braun M., Soukupová J., Pelinková K., Kientsch-Engel R. Advanced glycation end products and advanced oxidation protein products in patients with chronic alcohol abuse. *Alcohol Alcohol* 39, 4 (2004) 316-320
- Fialová L., Kalousová M., Soukupová J., Malbohan I., Madar J., Frisová V., Štípek S.,  
Zima T. Inflammation markers in preeclampsia. *Prague Medical Report* (2004) in press
- Kalousová M., Zima T., Tesař V., Štípek S., Sulková S. Advanced glycation end products in clinical nephrology. *Kidney Blood Press. Res.* 27, 1 (2004) 18-28.
- Rönner B., Lerche H., Freiling C., Bergmüller W., Severin T., Pischetsrieder M. Formation of tetrahydro- $\beta$ -carbolines and  $\beta$ -carbolines during the reaction of L-tryptophan with D-glucose. *J. Agric. Food Chem.* 48 (2000) 2111 - 2116.
- Tauer A., Knerr T., Niwa T., Schaub T., Lage C., Passlick-Deetjen, J., Pischetsrieder M. In vitro formation of N $\epsilon$ -(carboxymethyl)lysine and imidazolones under conditions similar to continuous ambulatory peritoneal dialysis (CAPD). *Biochem. Biophys. Res. Com.* 280 (2001) 1408-1414.
- Hasenkopf K., Übel B., Bordiehn T., Pischetsrieder M. Determination of the Maillard Product Oxalic acidmonolysinyamide (OMA) in Heated Milk Products by ELISA. *Nahrung/Food* 45 (2001) 206 - 209.
- Humeny A, Kislinger T, Becker C., Pischetsrieder M. Qualitative Determination of Specific Protein Glycation Products by Matrix-Assisted Laser Desorption/Ionization Mass Spectrometry Peptide Mapping. *J. Agric. Food Chem.* 50 (2002) 2153 – 2160 weblink doi: <http://dx.doi.org/10.1021/jf011349o>
- Schneider M., Klotzsche M., Werzinger C., Hegele J., Waibel R., Pischetsrieder M. Reaction of folic acid with reducing sugars and sugar degradation products *J. Agric. Food Chem.* 50 (2002) 1647 – 1651 weblink doi: <http://dx.doi.org/10.1021/jf011042p>
- Zimmeck T., Tauer T., Fuenfroeken M., Pischetsrieder M. How to Reduce 3-Deoxyglucosone and Acetaldehyde in peritoneal Dialysis Fluids *Perit. Dial. Int.* 22 (2002) 350 - 356.
- Kislinger T., Humeny A, Seeber S., Peich C. Becker C.-M., Pischetsrieder M. Qualitative Determination of the Early Maillard-Products by MALDI-TOF Mass Spectrometry Peptide Mapping *Eur. Food Res. Technol.* 215 (2002) 65 - 71.
- Hasenkopf K, Rönner B, Hiller H, Pischetsrieder M. Analysis of glycated and ascorbylated proteins by gas chromatography-mass spectrometry *J. Agric. Food Chem.* 50 (2002) 5697 – 5703 weblink doi: <http://dx.doi.org/10.1021/jf020411u>

Kislinger T, Humeny A, Peich C, Zhang X, Niwa T, Pischetsrieder M\*, Becker C-M (2003) Relative quantification of Nε-(carboxymethyl)lysine, imidazolone A and the Amadori product in glycated lysozyme by MALDI-TOF mass spectrometry *J. Agric. Food Chem.* 51: 51 – 57 weblink doi: <http://dx.doi.org/10.1021/jf020768y>

Dittrich R, El-massry F, Kunz K, Rinaldi F, Peich C, Beckmann M.W, Pischetsrieder M Maillard reaction products inhibit oxidation of human low-density lipoproteins in vitro *J. Agric. Food Chem.* 51 (2003) 3900-3904 weblink doi: <http://dx.doi.org/10.1021/jf026172s>

Tauer A, Bender T, Fleischmann E, Niwa T, Jörres A, Pischetsrieder M Fate of the glucose degradation products 3-deoxyglucosone and glyoxal during peritoneal dialysis (in submission).

Fragedaki E, Nebel M, Schupp N, Sebekova K, Völkel W, Klassen A, Pischetsrieder M, Frischmann M, Niwa T, Vienken J, Heidland A, Stopper H. Genomic Damage and Circulating Age Levels in Patients Undergoing Daily Versus Standard Hemodialysis (in submission)

Reznikov L, Waksman J, Azam T, Kim SH, Bufler P, Niwa T, Werman A, Zhang X, Pischetsrieder M, Shaldon S, Dinarello CA Effect of advanced glycation end products on endotoxin-induced TNF-alpha, IL-1beta and IL-8 in human peripheral blood mononuclear cells *Clin. Nephrol.* 61 (5) (2004) 324-336

Ferrer E., Alegría A., Farré R., Abellán P. and Romero F. Revisión: Indicadores de deterioro de la calidad proteica y valor nutritivo de la leche. *Food Science and Technology International / Ciencia y Tecnología de Alimentos Internacional*, 5 (1999) 447-461 (1999)

Ferrer E., Alegría A., Farré R., Abellán P. and Romero F. J. Effects of the manufacturing process and storage on available lysine and furfural compounds content. *J. Agric. Food Chem.* 48 (2000) 1817-1822

Ferrer E., Alegría A., Courtois G., Farré R. High performance liquid chromatographic determination of Maillard compounds in store-brand and name-brand ultra-high-temperature-treated cows' milk. *J. Chromatogr. A* 881 (2000) 599-606

Ferrer E., Alegría A., Farré R., Abellán P., Romero F. Infant formulas indicators of Maillard reaction. *Czech. J. Food Sci.* 18 (2000) 98- 100

Ferrer E, Alegría A, Farré R. Advanced glycosilation end products (AGEs) and colour in milk and milk resembling systems A review *Recent Res Devel Agricultural & Food Chem* 4 (2000) 269-290

Ferrer E., Alegría A., Farré R., Abellán P., Romero F. High performance liquid chromatographic determination of furfural compounds in infant formulas. Changes during heat treatment and storage. *J. Chromatogr. A* 947, (2002) 85-95

Rodrigo N., Alegría A., Barberá R., Farré R. High performance liquid chromatographic determination of tocopherols in infant formulas. *J. Chromatogr. A* 947 (2002) 97-102

Máñez G., Alegría A., Farré R., Frígola A. Effect of traditional, microwave and industrial cooking on inositol phosphate content in beans, chickpeas and lentils. *International Journal of Food Sciences and Nutrition* 53 (2002) 503-508

Ferrer E., Alegría A., Farré R., Abellán P., Romero F. Evolution of available lysine and furosine contents in milk-based infant formulas throughout the shelf-life storage period. *J Sci Food Agric* 83 (2003) 465-472

Ferrer E., Alegría A., Farré R., Abellán P., Romero F. Fluorometric determination of chemically available lysine: Adaptation, validation and application to different milk products. *Nahrung* 47 (2003) 403-407

Manglano P, Farré R, Lagarda MJ, Abellán P, Romero P, Clemente G. Stability of ascorbic acid in adapted milk based infant formulae during storage. *J Sci Food Agric* 84: 1126- 1130 (2004)

Miquel E, Alegría A, Barberá R, Farré R, Clemente G. Stability of tocopherols in adapted milk-based infant formulas during storage. *Int Dairy J* 14, (2004)1003-1011

Ferrer E, Alegría A, Farré R, Abellán P, Romero F. High-performance liquid chromatographic determination of furfural compounds in infant formulas during full shelf-life. *Food Chemistry* 89, (2005) 639-645

Morales, F.J.; S. Jiménez-Pérez. 1998. Study of hydroxymethylfurfural formation from acid degradation of the Amadori product in milk-resembling systems. *Journal of Agricultural and Food Chemistry.* 46,10, 3885-3890 (1998)

- Morales, F.J.; S. Jiménez-Pérez. 1998. Monitoring of heat-induced proteolysis in milk and milk resembling systems. *Journal of Agricultural and Food Chemistry*. 46,10, 4391-4397.
- Morales, F.J.; M.A.J.S. van Boekel. 1998. A study on advanced Maillard reaction in heated casein/sugar solutions: Colour formation. *International Dairy Journal*. 8, 907-915.
- Morales, F.J. ; A. Arnoldi. 1999. Analysis of galactosylisomaltol in milk systems using HPLC. *Food Chemistry*. 67, 185-191.
- Morales, F.J.; S. Jiménez-Pérez. 1999. Effect of milkfat on HMF formation during heat-treatment of milk and milk-resembling systems. *Journal of Food Science*. 64 (5), 855-859.
- Morales, F.J., C. Romero ; S. Jiménez-Pérez. 2000. Characterization of industrial processed milk by analysis of heat-induced changes. *International Journal of Food Science and Technology*. 32 (2), 193-200.
- Morales, F.J.; S. Jiménez-Pérez. 2000. Effect of malondialdehyde on the determination of furosine in milk-based products *Revista: Journal of Agricultural and Food Chemistry*. 48 (3), 680-684.
- Corzo, N., M. Villamiel, M. Arias, S. Jiménez-Pérez, F.J. Morales. 2000. The Maillard reaction during ripening of Manchego cheese. *Food Chemistry*. 71 (2), 255-258.
- Morales, F.J. ; S. Jiménez-Pérez. 2000. Free radical scavenging capacity of Maillard reaction products as related to colour and fluorescence. *Food Chemistry*. 72 (1) 119-125.
- Morales, F.J. ; S. Jiménez-Pérez. 2001. Hydroxymethylfurfural determination in infant milk-based formulas by micellar electrokinetic capillary chromatography. *Food Chemistry*. 72 (4) 525-531.
- Romero, C., F.J.Morales ; S. Jiménez-Pérez. 2001. Effect of storage temperature on galactose formation in UHT milk. *Food Research International*. 34,389-392.
- Morales, F.J.. 2002. Application of capillary electrophoresis to the study of food and food-model melanoidins. *Food Chemistry*. 76, (3), 363-369.
- Morales, F.J.; M-B. Babel. 2002. Antiradical efficiency of Maillard Reaction mixtures in a hydrophilic media. *Journal of Agriculture and Food Chemistry*. 50 (10) 2788-2792.
- Morales, F.J. ; M-B. Babel. 2002. Melanoidins exert a weak antiradical activity in watery-fluids. *Journal of Agriculture and Food Chemistry*. 50 (16) 4657-4661.
- Préstamo, G. ; F.J. Morales. 2002. Availability of isoflavones (genistin, genistein, and daidzein) in soybean (*Glycine max*) curd treated under high pressure. *High Pressure Research*. 22, 665-667.
- Ballesteros C., Gonzalez-Viñas M.A., Morales F.J., Cabezas L. 2004. Variations in organic acids during the ripening of artisanal and industrial Manchego cheeses. *Milchwissenschaft*. 59 (11/12) 631-635.
- Birlouez-Aragón I., Pischetsrieder M., Leclère J., Morales F.J., Hasenkopf K., Kientsch-Engel R., Rutledge D., Ducaze C.J. 2004. Assessment of protein glycation markers in infant formulas. *Food Chemistry*. 87: 253-259.
- Morales F.J., Jiménez-Pérez S. 2004. Peroxyl radical scavenging activity of melanoidins in aqueous systems. *European Food Research and Technology*. 218: 515-520.
- Delgado-Andrade, C., Morales F.J. 2004. Peroxyl radical scavenging activity of soluble high molecular weight fraction from coffee brews. *Czech. J. Food Nutr.* 22, 212-214.
- Morales F.J., Fernandez-Fraguas C., Jiménez-Pérez S. 2005. Iron binding ability of melanoidins from food and model systems. *Food Chemistry*. 90 (4): 821-827.
- Morales F.J. 2005. Assessing the non-specific hydroxyl radical scavenging properties of melanoidins in a Fenton type reaction system. *Analytica Chimica Acta*. 534, 171-176
- Delgado-Andrade, C., Morales F.J. 2005. Unravelling the contribution of melanoidins to the antioxidant activity of coffee brews *Journal Agricultural and Food Chemistry*. 53, 1403-1407

- Rufián-Henares, J.A., Delgado-Andrade, C., Morales, F.J. 2005. Analysis of heat-damage indexes in breakfast cereals. *Journal of Cereal Science*. In press
- Delgado-Andrade, C., Rufián-Henares, J.A., Morales, F.J. 2005. Fast method to determine furosine in breakfast cereals by capillary zone electrophoresis. *European Food Research and Technology*. In press
- Rufián-Henares, J.A., Morales F.J. 2005. A new application of a commercial microtiter plate-based assay for assessment the antimicrobial activity of Maillard reaction products. *Food Research International*. In press
- Rufián-Henares, J.A., Morales F.J. 2005. Development of a reversed-phase LC-MS method based on a stable isotope dilution for identification and determination of acrylamide in potato chips. *Food Chemistry*. In press
- B. Eisen, Y. Ungar, and E. Shimoni. 2003. Stability of isoflavones in soy milk stored at elevated and ambient temperatures. *J. Agric. Food Chem.* 51(8), 2212-2215
- Yael Ungar, Oluwatooyin F. Osundahunsi, and Eyal Shimoni. 2003. Thermal stability of genistein and daidzein and its effect on their antioxidant activity. *J. Agric. Food Chem.* 51: 4394-4399
- K. Shamaï, H. Bianco-Peled, and E. Shimoni. 2003. Polymorphism of resistant starch type III. *Carbohydrate Polymers.* 54(3):363-369
- K. Shamaï, E. Shimoni, and H. Bianco-Peled. 2004. Small Angle X-Ray Scattering of Resistant Starch Type III (RSIII). *Biomacromolecules.* 5:219-223
- Inbal Lalush, Hagit Bar, Imad Zakaria, Sigal Eichler, and Eyal Shimoni. 2005. Utilization of amylose-lipid complexes as molecular nanocapsules for conjugated linoleic acid. *Biomacromolecules.* 6:121-130
- Shirly Leizeron and Eyal Shimoni. 2005. Stability and sensory shelf life of orange juice pasteurized by continuous ohmic heating. *J. Agric. Food Chem.* 53(10):4012-4018
- Shirly Leizeron and Eyal Shimoni. 2005. Effect of ultrahigh temperature continuous ohmic heating treatment on fresh orange juice. *J. Agric. Food Chem.* 53(9):3519-3524